ELSEVIER

Brain Research 827 (1999) 261–262

BRAIN RESEARCH

# Author Index

Abe, K., see Edagawa, Y. (827) 225
Ahmed, M.S., Mather, A. and Enna, S.J.
Binding of [$^3$H]desglycinyl remacemide to rat brain membranes: association with the benzomorphan attachment site of the *N*-methyl-D-aspartic acid receptor channel (827) 46

Baba, N., Koji, T., Itoh, M. and Mizuno, A.
Reciprocal changes in the expression of Bcl-2 and Bax in hypoglossal nucleus after axotomy in adult rats: possible involvement in the induction of neuronal cell death (827) 122
Babiloni, C., Carducci, F., Pizzella, V., Indovina, I., Romani, G.L., Rossini, P.M. and Babiloni, F.
Bilateral neuromagnetic activation of human primary sensorimotor cortex in preparation and execution of unilateral voluntary finger movements (827) 234
Babiloni, F., see Babiloni, C. (827) 234
Belayev, L., see Remmers, M. (827) 237
Błasiak, T., see Lewandowski, M.H. (827) 139
Bonavita, V., see Sorrentino, G. (827) 205
Braas, K.M., see Lynch, S.W. (827) 70
Breedlove, S.M., see Tabibnia, G. (827) 41
Busto, R., see Remmers, M. (827) 237

Carducci, F., see Babiloni, C. (827) 234
Cass, W.A., Walker, D.J. and Manning, M.W.
Augmented methamphetamine-induced overflow of striatal dopamine 1 day after GDNF administration (827) 104
Cazalets, J.-R., Sqalli-Houssaini, Y. and Magoul, R.
Differential effects of potassium channel blockers on the activity of the locomotor network in neonatal rat (827) 185
Chakravarthy, B.R., see Tauskela, J.S. (827) 143
Chamberlin, N.L., Mansour, A., Watson, S.J. and Saper, C.B.
Localization of mu-opioid receptors on amygdaloid projection neurons in the parabrachial nucleus of the rat (827) 198
Chistina Grobin, A., Inglefield, J.R., Schwartz-Bloom, R.D., Devaud, L.L. and Morrow, A.L.
Fluorescence imaging of $GABA_A$ receptor-mediated intracellular [$Cl^-$] in P19-N cells reveals unique pharmacological properties (827) 1
Comas, T., see Tauskela, J.S. (827) 143
Cooke, B.M., see Tabibnia, G. (827) 41

Devaud, L.L., see Chistina Grobin, A. (827) 1
Di Porzio, U., see Sorrentino, G. (827) 205
Do Carmo, R.J., see Netto, M. (827) 221

Edagawa, Y., Saito, H. and Abe, K.
Stimulation of the 5-$HT_{1A}$ receptor selectively suppresses NMDA receptor-mediated synaptic excitation in the rat visual cortex (827) 225
Enna, S.J., see Ahmed, M.S. (827) 46

Frohardt, R.J., see Guarraci, F.A. (827) 28
Funahashi, M., He, Y.-F., Sugimoto, T. and Matsuo, R.
Noxious tooth pulp stimulation suppresses c-*fos* expression in the rat hippocampal formation (827) 215

Ginsberg, M.D., see Remmers, M. (827) 237
Golanov, E.V. and Reis, D.J.
A role for $K^+_{ATP}$-channels in mediating the elevations of cerebral blood flow and arterial pressure by hypoxic stimulation of oxygen-sensitive neurons of rostral ventrolateral medulla (827) 210
Goto, K., see Nambu, T. (827) 243
Guarraci, F.A., Frohardt, R.J. and Kapp, B.S.
Amygdaloid $D_1$ dopamine receptor involvement in Pavlovian fear conditioning (827) 28
Guimarães, A.P.C. and Prado, W.A.
Pharmacological evidence for a periaqueductal gray–nucleus raphe magnus connection mediating the antinociception induced by microinjecting carbachol into the dorsal periaqueductal gray of rats (827) 152

Hakim, A., see Tauskela, J.S. (827) 143
Harakall, S.A., see Lynch, S.W. (827) 70
Hayase, Y., see Tanaka, N. (827) 130
He, Y., Janssen, W.G.M. and Morrison, J.H.
Differential synaptic distribution of the AMPA-GluR2 subunit on GABAergic and non-GABAergic neurons in the basolateral amygdala (827) 51
He, Y.-F., see Funahashi, M. (827) 215
Hebda-Bauer, E.K., Morano, M.I. and Therrien, B.
Aging and corticosterone injections affect spatial learning in Fischer-344 × Brown Norway rats (827) 93
Higashiyama, S., see Tanaka, N. (827) 130
Hogan, M., see Tauskela, J.S. (827) 143
Hosoya, Y., see Nambu, T. (827) 243

Indovina, I., see Babiloni, C. (827) 234
Inglefield, J.R., see Chistina Grobin, A. (827) 1
Inoue, S., see Kobayashi, A. (827) 176
Itoh, M., see Baba, N. (827) 122

Janssen, W.G.M., see He, Y. (827) 51

Kapp, B.S., see Guarraci, F.A. (827) 28
Kennedy, A.L., see Lynch, S.W. (827) 70
Kihara, M., see Mitsui, Y. (827) 63
Kim, S.U., see Yoo, A.S.J. (827) 19
Kimura, S., see Kobayashi, A. (827) 176
Kobayashi, A., Osaka, T., Namba, Y., Inoue, S. and Kimura, S.
CGRP microinjection into the ventromedial or dorsomedial hypothalamic nucleus activates heat production (827) 176
Koji, T., see Baba, N. (827) 122
Kreulen, D.L., see Zheng, Z.L. (827) 113
Krieger, C., see Yoo, A.S.J. (827) 19

Lewandowski, M.H. and Błasiak, T.
The effect of brainstem stimulation on the evoked potentials in the intergeniculate leaflet (827) 139
Lin, B., see Remmers, M. (827) 237
Linden, R., see Rocha, M. (827) 79
Low, P.A., see Mitsui, Y. (827) 63
Lynch, M.A., see Whittaker, E. (827) 229
Lynch, S.W., Braas, K.M., Harakall, S.A., Kennedy, A.L., Mawe, G.M. and Parsons, R.L.
Neuropeptide Y (NPY) expression is increased in explanted guinea pig parasympathetic cardiac ganglia neurons (827) 70

Magoul, R., see Cazalets, J.-R. (827) 185
Manning, M.W., see Cass, W.A. (827) 104
Mansour, A., see Chamberlin, N.L. (827) 198
Martins-Ferreira, H., see Netto, M. (827) 221
Martins, R.A.P., see Rocha, M. (827) 79
Mather, A., see Ahmed, M.S. (827) 46
Matsuo, R., see Funahashi, M. (827) 215
Mawe, G.M., see Lynch, S.W. (827) 70
Mitsui, M., see Mitsui, Y. (827) 63
Mitsui, Y., Schmelzer, J.D., Zollman, P.J., Mitsui, M., Kihara, M. and Low, P.A.
Hypothermic neuroprotection of peripheral nerve of rats from ischemia–reperfusion injury: intraischemic vs. reperfusion hypothermia (827) 63
Mizukami, K., see Nambu, T. (827) 243
Mizuno, A., see Baba, N. (827) 122

Monsurrò, M.R., see Sorrentino, G. (827) 205
Morano, M.I., see Hebda-Bauer, E.K. (827) 93
Morley, P., see Tauskela, J.S. (827) 143
Morrison, J.H., see He, Y. (827) 51
Morrison, S.F., see Natarajan, M. (827) 169
Morrow, A.L., see Chistina Grobin, A. (827) 1
Murray, C.L., see Tauskela, J.S. (827) 143

Namba, Y., see Kobayashi, A. (827) 176
Nambu, T., Sakurai, T., Mizukami, K., Hosoya, Y., Yanagisawa, M. and Goto, K.
Distribution of orexin neurons in the adult rat brain (827) 243
Natarajan, M. and Morrison, S.F.
Adrenal epinephrine secretion is not regulated by sympathoinhibitory neurons in the caudal ventrolateral medulla (827) 169
Netto, M., Do Carmo, R.J. and Martins-Ferreira, H.
Retinal spreading depression induced by photoactivation: involvement of free radicals and potassium (827) 221
Nicholson, T.E. and Renton, K.W.
Modulation of cytochrome *P*450 by inflammation in astrocytes (827) 12

Ohno, M., see Tanaka, N. (827) 130
Osaka, T., see Kobayashi, A. (827) 176

Parsons, R.L., see Lynch, S.W. (827) 70
Pettinato, G., see Sorrentino, G. (827) 205
Pizzella, V., see Babiloni, C. (827) 234
Pollack, A.E. and Strauss, J.B.
Time dependence and role of *N*-methyl-D-aspartate glutamate receptors in the priming of D2-mediated rotational behavior and striatal Fos expression in 6-hydroxydopamine lesioned rats (827) 160
Prado, W.A., see Guimarães, A.P.C. (827) 152

Reis, D.J., see Golanov, E.V. (827) 210
Remmers, M., Schmidt-Kastner, R., Belayev, L., Lin, B., Busto, R. and Ginsberg, M.D.
Protein extravasation and cellular uptake after high-dose human-albumin treatment of transient focal cerebral ischemia in rats (827) 237
Renton, K.W., see Nicholson, T.E. (827) 12
Rocha, M., Martins, R.A.P. and Linden, R.
Activation of NMDA receptors protects against glutamate neurotoxicity in the retina: evidence for the involvement of neurotrophins (827) 79
Romani, G.L., see Babiloni, C. (827) 234
Rossini, P.M., see Babiloni, C. (827) 234

Saito, H., see Edagawa, Y. (827) 225
Sakurai, T., see Nambu, T. (827) 243
Saper, C.B., see Chamberlin, N.L. (827) 198
Sasahara, M., see Tanaka, N. (827) 130
Schmelzer, J.D., see Mitsui, Y. (827) 63
Schmidt-Kastner, R., see Remmers, M. (827) 237
Schwartz-Bloom, R.D., see Chistina Grobin, A. (827) 1
Shimada, M., see Tanaka, N. (827) 130
Sorrentino, G., Monsurrò, M.R., Pettinato, G., Vanni, R., Zuddas, A., Di Porzio, U. and Bonavita, V.
Establishment and characterization of a human neuroectodermal cell line (TB) from a cerebrospinal fluid specimen (827) 205
Sqalli-Houssaini, Y., see Cazalets, J.-R. (827) 185
Strauss, J.B., see Pollack, A.E. (827) 160
Sugimoto, T., see Funahashi, M. (827) 215

Tabibnia, G., Cooke, B.M. and Breedlove, S.M.
Sex difference and laterality in the volume of mouse dentate gyrus granule cell layer (827) 41
Tanaka, N., Sasahara, M., Ohno, M., Higashiyama, S., Hayase, Y. and Shimada, M.
Heparin-binding epidermal growth factor-like growth factor mRNA expression in neonatal rat brain with hypoxic/ischemic injury (827) 130
Tauskela, J.S., Chakravarthy, B.R., Murray, C.L., Wang, Y., Comas, T., Hogan, M., Hakim, A. and Morley, P.
Evidence from cultured rat cortical neurons of differences in the mechanism of ischemic preconditioning of brain and heart (827) 143
Therrien, B., see Hebda-Bauer, E.K. (827) 93
Travagli, R.A., see Zheng, Z.L. (827) 113

Vanni, R., see Sorrentino, G. (827) 205
Vereker, E., see Whittaker, E. (827) 229

Walker, D.J., see Cass, W.A. (827) 104
Wang, Y., see Tauskela, J.S. (827) 143
Watson, S.J., see Chamberlin, N.L. (827) 198
Whittaker, E., Vereker, E. and Lynch, M.A.
Neuropeptide Y inhibits glutamate release and long-term potentiation in rat dentate gyrus (827) 229

Yanagisawa, M., see Nambu, T. (827) 243
Yoo, A.S.J., Krieger, C. and Kim, S.U.
Process extension and intracellular $Ca^{2+}$ in cultured murine oligodendrocytes (827) 19

Zheng, Z.L., Travagli, R.A. and Kreulen, D.L.
Patterns of innervation of sympathetic vascular neurons by peptide-containing primary sensory fibers (827) 113
Zollman, P.J., see Mitsui, Y. (827) 63
Zuddas, A., see Sorrentino, G. (827) 205